
sword.max
Type a keyword or phrase
Sign In
Edit Tools Group Views Create Modifiers Animation Graph Editors Rendering Civil View Customize Scripting
Content Help
Modeling Freeform Selection Object Paint Populate
Select Display
Name (Sorted Ascen
Sword
[+] [Perspective] [User Defined] [Default Shading]
Standard Primitives
Object Type
AutoGrid
Box Cone
Sphere GeoSphere
Cylinder Tube
Torus Pyramid
Teapot Plane
TextPlus
Name and Color
0 / 100
0 20 40 60 80 100
Welcome to Mi
Click or click-and-drag to select objects
Add
Auto Key Selected
Set Key Key Filters...
SwordFinal
Build Play Launch
Level: Sword (Persistent)
World Outliner
Search...
Label Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
FlameSword StaticMeshA
27 actors
View Options
Details
World Settings
Select an object to view details.
View Options


Sword*
SwordFinal
File Edit Window Help
Modes
Levels
Save Current
Source Control
Content
Marketplace
Settings
Megascans
Blueprints
Cinematics
Build
Play
Launch
Search Classes
Recently Placed
Basic
Lights
Cinematic
Visual Effects
Geometry
Volumes
All Classes
Empty
Empty
Empty
Point L
Player
Cube
Sphere
Cylinde
Cone
Plane
Box Tr
Sphere
Perspective
Lit
Show
LIGHTING NEEDS TO BE REBUILT (8 unbuilt object(s))
Level: Sword (Persistent)
World Outliner
Search...
Label
Type
Sword (Editor)
World
FlameSword
Folder
IceSword
Folder
Landscape
Folder
Light
Folder
Test Sword
Folder
FlameSword
StaticMeshA
SpotLight7
SpotLight
SpotLight8
SpotLight
27 actors (2 selected)
View Options
Details
World Settings
<Selected Objects>
Search
Transform
Location
Rotation
Scale
Mobility
Light
Intensity
80.0
Light Color
Inner Cone Ang
Multiple Values
Outer Cone An
Multiple Values
Intensity Units
Lumens
Attenuation Ra
2000.0
Source Radius
0.0
Soft Source Ra
0.0
Source Length
0.0
Temperature
6500.0
Use Temperatu
Affects World
Content Browser
Add New
Import
Save All
Content
Search Folders
Content
Effects
FirstPerson
FirstPersonBP
Geometry
Filters
Search Content
9 items
View Options


FireWeapon
File Edit Asset Window Help
Save Browse Apply Search Home Clean Up Connectors Live Preview Live Nodes Live Update Stats Mobile Stats
Perspective Lit Show
FireWeapon
Zoom -1
TexCoord[0]
Panner
Coordinate
Time
Speed
Texture Sample
UVs
Tex
Multiply
A
B
Append
U
Param (0.5)
V
Param (0.5)
外围
Param (5)
Base
Param (0)
Fresnel
ExponentIn
BaseReflectFractionIn
Normal
颜色
Param (1,1,1,0)
颜色亮度
Param (0)
FireWeapon
Base Color
Metallic
Specular
Roughness
Emissive Color
Opacity
Opacity Mask
Normal
World Position Offset
World Displacement
Tessellation Multiplier
Subsurface Color
Custom Data 0
Custom Data 1
Ambient Occlusion
Refraction
Pixel Depth Offset
MATERIAL
Palette
Category: All
Search
Atmosphere
AtmosphericFog
Blends
Blend_ColorBurn
Blend_ColorDodg
Blend_Darken
Blend_Difference
Blend_Exclusion
Blend_HardLight
Blend_Lighten
Blend_LinearBurr
Blend_LinearDod
Blend_LinearLigh
Blend_Overlay
Blend_PinLight
Blend_Screen
Blend_SoftLight
Lerp_ScratchGrir
Lerp_ScratchGrir
Color
Desaturation
Constants
Constant 1
Constant2Vecto 2
Constant3Vecto 3
Constant4Vecto 4
DistanceCullFade
ParticleColor
ParticleDirection
ParticleMotionBl
ParticleRadius
ParticleRandom
ParticleRelativeT
ParticleSize
ParticleSpeed
PerInstanceFade
PerInstanceRand
PrecomputedAO
Time
TwoSidedSign
VertexColor
ViewProperty
Coordinates
1Dto2DIndex
Detai Previ Parar
Search
Physical Material
Phys Materi
None
Material
Material Dor Surface
Blend Mode Opaque
Decal Blend Translucent
Shading Mo Default Lit
Two Sided
Use Materia
Stats
Base pass shader: 138 instructions
Base pass shader with Volumetric Lightmap: 212 instructions
Vertex shader: 38 instructions


SwordFinal
FireWeapon_Inst_2*
File Edit Asset Window Help
Toolbar
Save Browse Apply Params Mobile Stats Hierarchy
Toggles material stats and compilation errors for mobile.
Perspective Lit Show
Base pass shader: 138 instructions
Base pass shader with Volumetric Lightmap: 212 instruc
Vertex shader: 38 instructions
Texture samplers: 9/16
Search
Parameter Groups
Vector Parameter Values
颜色
Scalar Parameter Values
Base 0.0
U 0.5
V 0.5
外围 5.0
颜色亮度 0.0
Save Sibling
Save Child
General
Phys Material
None
Parent
FireWeapon
Lightmass Settings
Material Property Override
Previewing
Preview Mesh
None
Scripts
StarterContent
13 items (1 selected)
View Options
Cinematics Build Play Launch
Level: Sword (Persistent)
flame2_Inst flame2_Inst1 flame_Inst flame_Inst1 Untitled-1
World Outliner
Search...
Label Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
FlameSword StaticMeshA
SpotLight7 SpotLight
SpotLight8 SpotLight
27 actors
View Options
Details
World Settings
Select an object to view details.


FireWeapon_Inst
File Edit Asset Window Help
Toolbar
Save Browse Apply Params Mobile Stats Hierarchy
Perspective Lit Show
Base pass shader: 138 instructions
Base pass shader with Volumetric Lightmap: 212 instruc
Vertex shader: 38 instructions
Texture samplers: 9/16
Details
Search
Parameter Groups
Vector Parameter Values
颜色
Scalar Parameter Values
Base 50.0
U 0.5
V 0.5
外围 0.5
颜色亮度 50.0
Save Sibling
Save Child
General
Phys Material
None
Parent
FireWeapon
Lightmass Settings
Material Property Override
Previewing
Preview Mesh
Scripts
StarterContent
13 items (1 selected)
View Options
SwordFinal
Cinematics Build Play Launch
Level: Sword (Persistent)
flame2_Inst flame2_Inst1 flame_Inst flame_Inst1 Untitled-1
World Outliner
Search...
Label Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
FlameSword StaticMeshA
SpotLight7 SpotLight
SpotLight8 SpotLight
27 actors
View Options
Details
World Settings
Select an object to view details.

Sword*
SwordFinal
File Edit Window Help
Modes
Levels
Save Current
Source Control
Content
Marketplace
Settings
Megascans
Blueprints
Cinematics
Build
Play
Launch
Search Classes
Recently Placed
Basic
Lights
Cinematic
Visual Effects
Geometry
Volumes
All Classes
Empty
Empty
Empty
Point L
Player
Cube
Sphere
Cylinde
Cone
Plane
Box Tr
Sphere
Perspective
Lit
Show
LIGHTING NEEDS TO BE REBUILT (8 unbuilt object(s))
155.00
Level: Sword (Persistent)
World Outliner
Search...
Label
Type
Sword (Editor) World
FlameSword Folder
DecalActorLava DecalActor
FireWeapon Emitter
PointLight PointLight
SpotLight5 SpotLight
SpotLight6 SpotLight
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
FlameSword StaticMeshA
SpotLight7 SpotLight
SpotLight8 SpotLight
27 actors (1 selected)
View Options
Details
World Settings
FlameSword
+ Add Component
Blueprint
Search
FlameSword(Instance)
Search
Transform
Location 1280.0 -2670. 520.0
Rotation 17 24. -17
Scale 1.0 1.0 1.0
Mobility
Static Mesh
Static Mesh
FlameSword
Materials
Element 0
FireWeapon_I
Textures
Content Browser
Add New
Import
Save All
Content ▸ Material ▸ Flame ▸
Search Folders
FirstPersonBP
Geometry
Level
Material
FBX
Flame
Ice
LavaDecal
Spark
Sword
Particle
Scripts
StarterContent
Filters
Search Flame
1334
fire2
FireWeapon
FireWeapon_Inst
FireWeapon_Inst_2
flame
flame2
flame2_Inst
flame2_Inst1
flame_Inst
flame_Inst1
Untitled-1
13 items (1 selected)
View Options


FireWeapon_2*
File Edit Asset Window Help
Toolbar
Save Browse Restart Sim Restart Level Undo Redo Thumbnail Bounds Origin Axis Background Color
Viewport
View Time
1000/3252
20/ 23
Emitters
Particle Emitter 23
Particle Emitter 3252
Mesh Data
Required
Spawn
Lifetime
Initial Size
Color Over Life
Required
Spawn
Lifetime
Initial Size
Initial Location
Acceleration
Initial Rotation
Size By Life
Initial Color
Scale Color / Life
SubImage Index
Details
Search
Particle
Emitter Name Particle Emitter
Initial Allocatio 0
Quality Level S 1.0
Detail Mode Low
Disabled LODs
Cascade
Emitter Render Normal
Emitter Editor
Collapsed
Significance
Disable when Ir
Significance Le Critical
Curve Editor
Horizontal Vertical Fit Pan Zoom Auto
ColorScaleOverLife
AlphaScaleOverLife
1.50
1.00
0.50
0.00
-0.50
-1.00
-1.50
0.50 0.00 0.50 1.00
Scripts
StarterContent
5 items (1 selected)
SwordFinal
Cinematics Build Play Launch
Level: Sword (Persistent)
View Options
World Outliner
Search...
Label Type
Sword (Editor) World
FlameSword Folder
DecalActorLava DecalActor
FireWeapon Emitter
PointLight PointLight
SpotLight5 SpotLight
SpotLight6 SpotLight
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
FireWeapon_2 Emitter
SpotLight7 SpotLight
SpotLight8 SpotLight
27 actors
View Options
Details
World Settings
Select an object to view details.


FireWeapon_2*
File Edit Asset Window Help
Toolbar
Save Browse Restart Sim Restart Level Undo Redo Thumbnail Bounds Origin Axis Background Color
Viewport
View Time
Emitters
Particle Emitter 23
Particle Emitter 3252
Particle Emitter 3252
Mesh Data
Required
Spawn
Lifetime
Initial Size
Color Over Life
Initial Location
Acceleration
Initial Rotation
Size By Life
Initial Color
Scale Color / Life
SubImage Index
Details
Particle
Emitter Name Particle Emitter
Initial Allocation 0
Quality Level Sp 1.0
Detail Mode Low
Disabled LODs
Cascade
Emitter Render M Normal
Emitter Editor C
Collapsed
Significance
Disable when In
Significance Lev Critical
Curve Editor
Horizontal Vertical Fit Pan Zoom Auto Auto/Clamped
ColorScaleOverLife
AlphaScaleOverLife
Scripts
StarterContent
5 items (1 selected)
SwordFinal
Cinematics Build Play Launch
Level: Sword (Persistent)
World Outliner
Label
Sword (Editor
FlameSwor
IceSword
Landscape
Light
Test Sword
FireWeapor
SpotLight7
SpotLight8
27 actors
View Options
Details
World S
Select an object to view details.
View Options


Sword*
SwordFinal
File Edit Window Help
Modes
Levels
Save Current
Source Control
Content
Marketplace
Settings
Megascans
Blueprints
Cinematics
Build
Play
Launch
Search Classes
Recently Placed
Basic
Lights
Cinematic
Visual Effects
Geometry
Volumes
All Classes
Post Process
Atmospheric F
Exponential He
Sphere Reflect
Box Reflection
Planar Reflection
Deferred Deca
Perspective
Lit
Show
LIGHTING NEEDS TO BE REBUILT (8 unbuilt object(s))
Level: Sword (Persistent)
World Outliner
Search...
Label
Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
DecalActorLa DecalActo
FireWeapon_2 Emitter
SpotLight7 SpotLight
SpotLight8 SpotLight
28 actors (1
View Options
Details
World Set
DecalActorLava2
+ Add Component
Search
DecalActorLava2(Instance)
Transform
Locatic 109 -27 140
Rotatic
Scale 0.7 1.9 1.9
Decal
Decal Mat None
Non
Sort Order 0
Fade Scre 0.01
Fade Start 0.0
Fade Dura 0.0
Destroy O
Decal Siz X Y Z
Content Browser
Add New
Import
Save All
Content ▸ Material ▸ LavaDecal ▸
Search Folders
FirstPersonBP
Geometry
Level
Material
FBX
Flame
Ice
LavaDecal
Spark
Sword
Particle
Scripts
StarterContent
Filters
Search LavaDecal
a
b
barbarian_ earthquake_ cracks add
barbarian_ earthquake_ cracks mask
LavaDecal
LavaDecal_ Inst
T_Fire_Tiled_ D
7 items (1 selected)
View Options


LavaDecal
File
Edit
Asset
Window
Help
Save
Browse
Apply
Search
Home
Clean Up
Connectors
Live Preview
Live Nodes
Live Update
Stats
Mobile Stats
Perspective
Lit
Show
LavaDecal
Zoom -4
流光 A
流光B
扰动速度
Physical Material
Phys Mater
None
Material
Material Do
Deferred Decal
Blend Mode
Translucent
Decal Blend
Stain
Shading Mo
Default Lit
Two Sided
Use Materi
Stats
Base pass shader: 145 instructions
Base pass shader with Volumetric Lightmap: 172 instructions
Vertex shader: 113 instructions
MATERIAL
Category:
Search
Atmospl
Blends
Color
Constan


Sword*
SwordFinal
File Edit Window Help
Modes
Levels
Save Current
Source Control
Content
Marketplace
Settings
Megascans
Blueprints
Cinematics
Build
Play
Launch
Search Classes
Recently Placed
Basic
Lights
Cinematic
Visual Effects
Geometry
Volumes
All Classes
Empty Actor
Empty Charac
Empty Pawn
Point Light
Player Start
Cube
Sphere
Cylinder
Cone
Plane
Box Trigger
Sphere Trigge
Perspective
Lit
Show
LIGHTING NEEDS TO BE REBUILT (8 unbuilt object(s))
Level: Sword (Persistent)
World Outliner
Search...
Label
Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
DecalActorLa DecalAct
FireWeapon_2 Emitter
SpotLight7 SpotLigh
SpotLight8 SpotLigh
28 actors (1
View Options
Details
World Set
DecalActorLava2
+ Add Component
Search
DecalActorLava2(Instance)
Transform
Locati
Rotati
Scale
Decal
Decal Mat
Sort Orde
Fade Scre
Fade Star
Fade Dura
Destroy O
Decal Siz
Content Browser
Add New
Import
Save All
Content
Material
LavaDecal
Search Folders
Filters
Search LavaDecal
Content
Effects
FirstPerson
FirstPersonBP
Geometry
Level
Material
FBX
Flame
Ice
LavaDecal
Spark
a
b
barbarian_ earthquake_ cracks add
barbarian_ earthquake_ cracks mask
LavaDecal
LavaDecal_ Inst
T_Fire_Tiled_ D
7 items (1 selected)
View Options


Sword*
SwordFinal
File Edit Window Help
Modes
Levels
Save Current
Source Control
Content
Marketplace
Settings
Megascans
Blueprints
Cinematics
Build
Play
Launch
Search Classes
Recently Placed
Basic
Lights
Cinematic
Visual Effects
Geometry
Volumes
All Classes
Empty Actor
Empty Charac
Empty Pawn
Point Light
Player Start
Cube
Sphere
Cylinder
Cone
Plane
Box Trigger
Sphere Trigge
Perspective
Lit
Show
LIGHTING NEEDS TO BE REBUILT (8 unbuilt object(s))
High Resolution Screenshot
Screenshot Size Multiplier
2.0
Include Buffer Visualization Targets
Write HDR format visualization targets
Force 128-bit buffers for rendering pipeline
Use custom depth as mask
Due to the high system requirements of a high resolution screenshot, very large multipliers might cause the graphics driver to become unresponsive and possibly crash. In these circumstances, please try using a lower multiplier
Level: Sword (Persistent)
World Outliner
Search...
Label
Type
Sword (Editor) World
FlameSword Folder
IceSword Folder
Landscape Folder
Light Folder
Test Sword Folder
DecalActorLa DecalActo
FireWeapon_2 Emitter
SpotLight7 SpotLigh
SpotLight8 SpotLigh
28 actors
View Options
Details
World Set
Select an object to view details.
Content Browser
Add New
Import
Save All
Content
Search Folders
Filters
Search Content
Content
Effects
FirstPerson
FirstPersonBP
Geometry
Level
Material
Particle
Effects
FirstPerson
FirstPerson BP
Geometry
Level
Material
Particle
Scripts
Starter Content
9 items
View Options